





# WE'RE ARESILIENT GROUP

Being a Group means having the culture, expertise, service and products the Customer needs to succeed.

**CPF Industriale, Geca and Tecnocontrol** have been created to meet market demand in real time, to show credibility and structural strength.

It's true. We're a resilient group because in over 70 years we have been able to understand and bring technology, products and customer service in line with the real needs of our Customers, who have changed incredibly over time. We have placed extreme attention on listening, analysing and studying without interfering with the final goal: **Uncompromised Quality**.

**Our Group is currently able to design, manufacture and sell** in the OEM, Industrial Gas Companies, Plumbing and Heating, HVAC, Gas distribution, Gas Safety and Oil & Gas sectors and operates in 91 countries worldwide.



# INDUSTRIAL GAS DETECTION



### CONTROL UNIT FOR 4 - 8 SENSORS

**UP TO 8 ZONES** 

**UP TO 9 RELAYS OUTPUTS** 

**BACKLIT DISPLAY** 

EASY CONFIGURATION PROGRAM

FREE SETTING OF LEVELS OF ALARM

LED INDICATORS





### CONTROL UNIT FOR 4 - 24 SENSORS

UP TO 24 ZONES

UP TO 25 RELAYS OUTPUTS

BACKLIT DISPLAY

EASY CONFIGURATION PROGRAM

FREE SETTING OF LEVELS OF ALARM

LED INDICATORS

# GAS DETECTOR ATEX CERTIFIED

REPLACEABLE CARTRIDGE SENSOR

12÷24 VDC

DISPLAY WITH REAL-TIME VISULIZATION GAS CONCENTRATION.

4-20 MA, RELAYS OUTPUT, MODBUS, HART

CALIBRATION AVAILABLE UP TO 102 DIFFERENT TYPE OF GASES (FLAMMABLE/TOXIC/OXYGEN/REFRIGERANT)









### **GAS DETECTOR - IP65**

REPLACEABLE CARTRIDGE SENSOR

12÷24 VDC

IP65

4÷20 OUTPUT

**3 LED INDICATORS** 

CALIBRATION AVAILABLE UP TO 102 DIFFERENT TYPE OF GASES

(FLAMMABLE/TOXIC/OXYGEN/REFRIGERANT)

# STAND ALONE GAS DETECTOR WITH 3 RELAYS OUTPUT

REPLACEABLE CARTRIDGE SENSOR

12÷24 VDC 110/230 VAC

IP65 OR ATEX

**3 RELAYS OUTPUT** 

**3 LED INDICATORS** 

CALIBRATION AVAILABLE UP TO 102

DIFFERENT TYPE OF GASES

(FLAMMABLE/TOXIC/OXYGEN/REFRIGERANT)



# COMMERCIAL **GAS DETECTION**





# CONTROL UNIT FOR 3 REMOTE SENSORS

**3 ZONES** 

**3 RELAYS OUTPUT** 

230 VAC / 110 VAC / 12 VDC

LED INDICATORS

IP65

# CONTROL UNIT WITH INCORPORATED SENSOR

STAND-ALONE DETECTOR

**3 RELAYS OUTPUT** 

LED INDICATORS

IP44



# IP44 GAS DETECTOR

IP44

4÷20Ma OUTPUT

12÷24 VDC

FLAMMABLE GASES & CARBON MONOXIDE





### ATEX GAS DETECTOR

**EXPLOSION PROOF DETECTOR - ATEX CERTIFIED** 

4-20Ma OUTPUT

12÷24 VDC

FLAMMABLE GASES & CARBON MONOXIDE

ALUMINUM CASE



 $\overleftarrow{\textbf{Ex}}$  II 2 G Ex d IIC T6 Gb



### **SIREN**

115DB

230 VAC / 12 VDC

ACOUSTIC AND VISUAL ALARM

# RESIDENTIAL



## **GAS DETECTION**

### GAS DETECTOR

LED STATUS INDICATOR AND LOCAL SOUNDER

1 RELAY OUTPUT / 2 RELAYS OUTPUT

230 VAC /12 VDC / 110 VAC / 24 VDC

CATALYTIC SENSOR

IMQ CERTIFIED





# GAS DETECTOR WITH REPLACEABLE SENSOR

LED STATUS INDICATOR AND LOCAL SOUNDER

1 RELAY OUTPUT

230 VAC /12 VDC / 110 VAC / 24 VDC

CATALYTIC SENSOR

IMQ CERTIFIED

# CARBON MONOXIDE DETECTOR


LED STATUS INDICATOR AND LOCAL SOUNDER

**BATTERY POWERED OPTION** 

230 VAC /12 VDC OPTION

**ELECTROCHEMICAL SENSOR** 

6 YEARS LIFE / 10 YEARS LIFE





### **GAS SOLENOID VALVE**

NORMALLY OPEN or NORMALLY CLOSE

550 MBAR OR 6 BAR

FROM ½" to DN200

230 VAC - 12 VDC/VAC - 24 VDC/VAC / 110 VAC

MANUAL / AUTOMATIC RESET

LED STATUS INDICATOR AND LOCAL SOUNDER

1 RELAY OUTPUT

230 VAC /12 VDC / 110 VAC / 24 VDC

CATALYTIC SENSOR (NG-LPG)

ELECTROCHEMICAL (Co)/IFRARED (Co2)

TUV CERTIFIED



# **GAS TRAIN**

**EQUIPMENT** 





# DIRECT ACTING PRESSURE REGULATOR

20 bar

DN25, DN40, DN50

OPSO / UPSO & RV

MAX FLOW 4500 M<sup>3</sup>/H

### GAS GOVERNOR

ALUMINUM BODY

FROM 1/2" TO DN100

500 mbar / 1 bar / 2 bar / 5 bar





500 mbar/5 Bar

1/2" to DN100

OPSO / UPSO





### AUTOMATIC GAS VALVE

FROM 1/2" TO DN150

360mbar / 6 bar

FAST OPENING / FAST CLOSING

SLOW OPENING / FAST CLOSING

### GAS FILTERS

**ALUMINUM BODY** 

FROM 1/2" TO DN200

6 bar / 10 bar









GECA S.r.

Via E. Fermi, 98 | 25064 Gussago (BS) | ITALY Tel. +39~030~3730218

Fax +39 030 3730228 **E-mail: info@gecasrl.it**  lecno ontro

Tecnocontrol S.r.l.

Via Miglioli, 47 | 20090 Segrate (MI) | ITALY Tel. +39~02~26922890

Fax +39 02 2133734

E-mail: info@tecnocontrol.it

**CPF** 

CPF Industriale S.r.l.

Via E. Fermi, 98 | 25064 Gussago (BS) | ITALY

Tel. +39 030 310461 Fax +39 030 310465

E-mail: info@cpfindustriale.it

Marchi:



